

RGK Head Office: Unit 8 A,B/C Ring Road, Zone 2
 Burntwood Business Park, Burntwood
 Staffordshire. WS7 3JQ. UK

Telephone: +44(0)1543 670077
 Fax: +44(0)1543 670088
 info@rgklife.com www.rgklife.com

Customer Name: _____

Address: _____

Postcode: _____

Telephone: _____

Email: _____

Notes/Comments:

SAMPLE ORDER FORM
 Do Not Use for Specification Information

VAT EXEMPTION DECLARATION:

I declare that I am chronically sick or disabled by reason of:

and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994.

Customer Signature: _____

Sales Advisor: _____

Signed: _____

Date: _____

FOR RGK OFFICE USE ONLY

Sales Advisor: _____

Customer A/C No: _____

Serial No: _____

Manufacture Date Wk/Yr: _____ / 20

Total RRP: £ _____

Discount: £ _____

Nett Total: £ _____

Deposit paid: £ _____

	Who	Date
OK to Quote: _____	_____	_____
OK to Confirm: _____	_____	_____
Document No: _____	DOC	

Funding Information & PO No:

① _____ £ _____

② _____ £ _____


③ _____ £ _____

- Base Product
- Standard Configuration
- Mandatory Information
- Option with No extra cost
- Information Required for Option
- Option with Extra cost

FXEXZ010 Tiga FX Exclusive 7020 Aluminium

XA070 Frame open design

Max User Weight 125kg



FXEXZ010

XW010 CAD drawing for approval

Standard Specification Includes:

- Camber angle 2°
- Ergonomic seat length 120mm
- Front seat taper (*Frame width minus 40mm*)
- Height and angle adjustable footrest platform
- Sideguard fold flat aluminium
- Sun Fusion 16 spoke wheels with hard anodised aluminium handrim, kenda tyre - Schraeder valve tube
- Overall frame length 575mm
- Velcro calf strap
- Multi tool kit
- Seat height front 500mm rear 450mm with 25" wheel
- Seat height front 490mm rear 440mm with 24" wheel
- 100mm soft roll front castor wheel

Key Product Measurements

Frame Measurements

XY010 Frame width

- 360mm
 390mm
 430mm
 460mm


XY020 Seat length

- 360mm
 380mm
 400mm
 420mm
 440mm
 460mm

XY240 Backrest height adjustable (*N/A with screw in push handles*)
(Adjustable range 300mm - 375mm)

Please indicate set up height:


- 300mm
 325mm
 350mm
 375mm



Footrest

XY100 Footrest height


- 80mm
 110mm
 140mm
 170mm
 200mm



Centre of Gravity

Centre of Gravity

- 20mm
 40mm
 60mm
 80mm
 100mm
 120mm
 140mm



Product Options

Castors Options

- XC060 100mm soft roll castors (Black)
 XC130 Castor wheel 4x1.4" aluminium centre with urethane tyre frog legs
 Choose colour below (XC130 Only):

- Silver hub & black tyre (Std)
 Black hub & blue tyre
 Purple hub & black tyre
 Silver hub & blue tyre
 Black hub & black tyre
 Red hub & black tyre
 Gold hub & black tyre
 Silver hub & red tyre
 Black hub & red tyre
 Blue hub & black tyre
 Green hub & black tyre

Wheel Lock Options



- XD020 Wheel locks underseat scissor (Std)
 XD030 Wheel locks compact scissor

Sideguard Options (Choose one)

- FXAXE130 Sideguards fold flat aluminium
 FXAXE150 Sideguards fold flat carbon fibre
 FXAXE160 Sideguards fold flat carbon fibre with fender
 (Note: Height above tyre will be 10mm and to centre of tyre.
 (Note: Max COG adjustment forward will be 15mm)

Sideguard Measurements

- Sideguard 25mm above tyre (Follow tyre - Std if not indicated) (Not with FXAXE160)
 Sideguard level with tyre (Follow tyre) (Not with FXAXE160)



Push handle Options

- XG070 Backrest with screw in push handles (N/A with XY240)
 Please indicate fixed height:
 300mm
 325mm
 350mm
 375mm

Anti-Tip Options

- XJ010 Anti tip swingaway left side
 XJ020 Anti tip swingaway right side

Rear Wheel Options

- XK010 Wheel Sun Fusion 16 spoke daily use (Select size)
 24"
 25"
 XK060 Wheel Spinergy SPOX 18 spoke daily (select size and colour below)
 24"
 25"

Spinergy LX Colour Options

- Black spoke / Silver hub
 White spoke / Black Hub
 Yellow spoke / Black hub
 Green spoke / Black hub
 Red spoke / Black hub
 Blue spoke / Black hub
 Pink spoke / Black hub
 Orange spoke / Black hub

Tyre Options

- XM010 Kenda Tyre High Pressure
 Grey (Standard if no option selected)
 Blue
 Red
 XM130 Kenda black
 XM020 Tyre Schwalbe Marathon Plus

Handrim Position

- Handrim set narrow (Standard if no option selected)
 Handrim set wide

Handrim Options

- XL010 Handrim aluminium hard anodised 6 tab (Standard if No option selected)
 XL030 Handrim surge LT 6 tab
 XL020 Handrim tetra grip 6 tab

